

XP-3765W



The all new XPOS PLUS features the state-of-the-art design which is stylish, functional, user-friendly and powerful.

The product construction is a Panel PC that can be easily attached and detached from the dual-hinge docking stand. The IO ports built inside the stand offer excellent cable management.


XPOS Plus offers the flexibility of integration to meet the requirement of all different counters.

XP-3765W



XPOS Plus Series

**Narrow-Boarder
15.6" Full HD
TFT LCD**




**Patented
Docking Stand**






2nd Screen Mounting Options



Felxible Add-on Periphereals On 3 Sides

2D Barcode Scanner/RFID Reader/Wi-Fi+BT Module
Camera+LED Bar 2-in-1 Module

Specifications



CPU

- Intel® Celeron® G6900
- Intel® Core™ i3-12100
- Intel® Core™ i3-12100TE
- Intel® Core™ i5-12400
- Intel® Core™ i5-12500TE
- Intel® Core™ i7-12700



Memory

- 4/8/16/32GB (Max 32GB; 2 x SO-DIMM DDR4)



Storage

- 1 x M.2 M Key PCIe GenIII



Speaker

- 2 x 2W Internal Speaker



Display

- 15.6" Slim Border TFT, 1920 x 1080



Touch

- True-Flat PCAP



Brightness/MTBF

- 350 nits / 50K Hours



Power

- 20V 90W or 130W External Adapter (DC-Jack) or 20V 100W (USB-C)



OS

- Windows 10 IoT Enterprise
- Windows 11 IoT Enterprise



Certification

- FCC, CE Class B, UKCA



Appearance

- Aluminum Die-Casting + Plastic
- Galaxy Grey



Temperature

- Operation: 0 °C ~ 40 °C (32 °F ~ 104 °F)
- Storage: -20 °C ~ 60 °C (-4 °F ~ 140 °F)



Dimensions (W x H x D)

- Product: 360 x 275 x 230 mm
- In Carton: 465 x 395 x 240 mm



Weight

- Net: 5.2 kg
- Gross: 6.5 kg



Port

- Default on PPC
 - 1 x Giga LAN (RJ45)
 - 1 x USB 3.0
 - 1 x HDMI
 - 1 x Smart-DD
 - 1 x 100W USB-C PD (DC-IN)
 - Add-on Peripheral IO - Left / Right/ Top:
 - 3 x USB 2.0 Type C Connector

- Under Stand IO1:

- 2 x COM (RJ45, RS232)

-

- 4 x USB 2.0
- 1 x 10/100 LAN
- 1 x Cash Drawer (12V/24V)
- 1 x USB DP
- 1 x DC IN

- IO1-24V:

- 1 x COM
- 6 x USB 2.0
- 1 x Giga LAN
- 1 x PUSB 24V
- 1 x DC-IN

- XT-100C

- 2 x COM (RJ45)
- 4 x USB 2.0
- 1 x 10/100 LAN
- 1 x Cash Drawer (12V/24V)
- 1 x USB DP
- 1 x DC IN

- XT-200C

- 3 x COM (RJ45)
- 4 x USB 2.0
- 1 x 10/100 LAN
- 1 x Cash Drawer (12V/24V)
- 1 x PUSB 24V
- 1 x USB DP
- 1 x DC-IN
- 2nd IO option for XT-200C

Type C: 1 x PUSB12V & 2 x COM (RJ45) or

* Type G: 3 x PUSB12V

-



Optional

- Side Add-on Module Options:
 - Wi-Fi+BT Module(Wi-Fi 802.11 b/g/n/ac +BT 4.2)
 - RFID Reader
 - Camera+LED Bar 2-in-1
 - 2D Barcode Scanner

- XT-300C
- 1 x COM (RJ45)
- 6 x USB 2.0
- 1 x Giga LAN
- 1 x PUSB 24V
- 1 x DC-IN



Other

- TPM 2.0: dTPM and fTPM